



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

("linear conversion") and (zeros or zeroes)



THE ACM DIGITAL LIBRARY



("linear conversion") and (zeros or zeroes)

Published before December 2005

Found 2 of 238,273

 Terms used: [linear conversion](#) [zeros](#) [zeroes](#)

Sort results by

relevance

☒ [Save results to a Binder](#)

 Refine these results with [Advanced Search](#)

Display results

expanded form

☐ [Open results in a new window](#)

 Try this search in [The ACM Guide](#)

Results 1 - 2 of 2

1 [High-speed conversion of floating point images to 8-bit](#)

Ads by Google



Bill Spitzak

 July 2002 **SIGGRAPH '02**: ACM SIGGRAPH 2002 conference abstracts and applications

Publisher: ACM

 Full text available: pdf(59.70 KB) Additional Information: [full citation](#), [abstract](#), [references](#)

Most rendering software today destroys their accurate lighting and shading calculations by doing an inaccurate linear conversion to a screen image. This sketch presents a technique that quickly converts floating point data to a screen image while preserving ...

[Trace A Phone Number](#)

Find out who owns any cell phone number. Just type in the number!
ReversePhoneDetective.c

[Flex Convergence](#)

Download Free whitepaper. Explore TDN & Packet migration.
www.ciena.com

[Excel Genetic Algorithms](#)

Plus Linear, Nonlinear Programming
Download Free Trial, Example Models
www.solver.com

2 [A field-programmable mixed-analog-digital array](#)



Paul Chow, P. Glenn Gulak

 February 1995 **FPGA '95**: Proceedings of the 1995 ACM third international symposium on Field-programmable gate arrays

Publisher: ACM

 Full text available: pdf(113.78 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

A novel field-programmable mixed-analog-digital array (FPMA) is proposed, which contains a field-programmable analog array, a field-programmable digital array, and a mixed-signal interface. This device is intended to be used for the rapid implementation ...

[C++ Parallel Computing](#)

For Multi-Core Processors Free White Paper
www.RogueWave.com

Results 1 - 2 of 2

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2008 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	5	(linear adj conversion) same candidate	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/22 09:49
S2	2	"20050018789".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/22 09:00
S3	6	(linear adj (conversion conversions)) same algorithms	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/22 09:42
S4	1	"2002091295".pn.	JPO	OR	ON	2008/01/22 09:50
S5	11	ito.in. and torii.in. and yajima.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/22 09:51
S6	2	("5511123" "6570989").PN. OR ("2002/0021801" "6956951").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/22 09:55
S7	3	("5511123" "6570989").PN. OR ("2002/0006196" "2002/0021801" "6956951").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/22 09:56
S8	14	("4157454" "4751733" "5214704" "5235423" "5412729").PN. OR ("6570989").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/22 09:58
S9	3	"380"/\$.cccls. and (linear adj conversions)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/22 16:24
S10	1	"380"/\$.cccls. and ((select choose specify) adj (linear adj conversion))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/22 16:24

EAST Search History

S11	0	"708"/\$.ccls. and ((select choose specify) adj (linear adj conversion))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/22 16:24
S12	4	"708"/\$.ccls. and (linear adj conversions)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/22 16:24
S13	7	(US-20020021801-\$ or US-20050002522-\$).did. or (US-6985582-\$ or US-7035407-\$ or US-6956951-\$ or US-6891950-\$ or US-6570989-\$).did.	US-PGPUB; USPAT	OR	ON	2008/01/28 15:00
S14	3	S13 and matri\$	US-PGPUB; USPAT	OR	ON	2008/01/28 15:00
S15	6	"380"/\$.ccls. and (linear adj conversion) and matri\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 15:13
S16	12	("380"/\$.ccls. "708"/\$.ccls.) and (linear adj conversion) and matri\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 15:18
S17	0	S13 and exponent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 15:18
S18	66	(linear adj conversion) and exponent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 15:19
S19	1	(linear adj conversion) and exponent and encrypt\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 15:20
S20	0	(linear adj conversion) and exponent and crypt\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 15:20

EAST Search History

S21	27	(linear adj conversion) and (number adj zero)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 15:20
-----	----	--	---	----	----	------------------

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	393	380/29.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:48